AUTHOR INDEX VOLUME 136

A

Abe, H. *See* Rosenblatt, Agnew, Abe, Bamburg, and Mitchison.
Abrams, C.S. *See* Ma, Brass, and Abrams.
Agnew, B.J. *See* Rosenblatt, Agnew, Abe, Bamburg, and Mitchison.
Aigner, L. *See* Caroni, Aigner, and Schneider.
Ainsztein, A.M. *See* Eckley, Ainsztein, Mackay, Goldberg, and Earnshaw.
Airas, L., Niemelä, J., Salmi, M., Puurunen, T., Smith, D.J., and Jalkanen, S. Differential regulation and function of CD73, a glycosyl-phosphatidylinositol–linked 70-kD adhesion molecule, on lymphocytes and endothelial cells. 421.
Akita, M., Nielsen, E., and Keegstra, K. Identification of protein transport complexes in the chloroplastic envelope membranes via chemical cross-linking. 983.
Albini, A. *See* Carlevaro, Albini, Ribatti, Gentili, Benelli, Cermelli, Cancedda, and Descalzi Cancedda.
Altschuler, Y. *See* Barth, Pollack, Altschuler, Mostov, and Nelson.
Amling, M., Neff, L., Tanaka, S., Inoue, D., Kuida, K., Wier, E., Philbrick, W.M., Broadus, A.E., and Baron, R. Bcl-2 lies downstream of parathyroid hormone in a signaling pathway that regulates chondrocyte maturation during skeletal development. 205.
Andreassen, P.R., Lacroix, F.B., and Margolis, R.L. Chromosomes with two intact axial cores are induced by G_2 checkpoint override: Evidence that DNA decatenation is not required to template the chromosome structure. 29.
Andres, A.-C. *See* Sers, Emmenegger, Husmann, Bucher, Andres, and Schäfer.
Andrews, N.W. *See* Burleigh, Caler, Webster, and Andrews.
Anglister, L. *See* Rotundo, Rossi, and Anglister.
Aplin, A.E. *See* Lin, Aplin, Shen, Chen, Schaller, Romer, Aukhil, and Juliano.
Assoian, R.K. Anchorage-dependent cell cycle progression. 1.
Aukhil, I. *See* Lin, Aplin, Shen, Chen, Schaller, Romer, Aukhil, and Juliano.
Ayscough, K.R. *See* Yang, Ayscough, and Drubin.

B

Baas, P.W. *See* Yu, Sharp, Kuriyama, Mallik, and Baas.
Babcock, D.F., Herrington, J., Goodwin, P.C., Park, Y.B., and Hille, B. Mitochondrial participation in the intracellular Ca^{2+} network. 833.
Bamburg, J.R. *See* Rosenblatt, Agnew, Abe, Bamburg, and Mitchison.
Barbieri, A.M. *See* Mukhopadhyay, Barbieri, Funato, Roberts, and Stahl.
Baribault, H. *See* Danielson, Baribault, Holmes, Graham, Kadler, and Iozzo.
Barker, J.E. *See* Zhou, Birkenmeier, Williams, Sharp, Barker, and Bloch.
Baron, R. *See* Amling, Neff, Tanaka, Inoue, Kuida, Wier, Philbrick, Broadus, and Baron.
Barth, A.I.M., Pollack, A.L., Altschuler, Y., Mostov, K.E., and Nelson, W.J. NH_2-terminal deletion of β-catenin results in stable colocalization of mutant β-catenin with adenomatous polyposis coli protein and altered MDCK cell adhesion. 693.
Bashkirov, V.I., Scherthan, H., Solinger, J.A., Buerstedde, J.-M., and Heyer, W.-D. A mouse cytoplasmic exoribonuclease (mXRN1p) with preference for G4 tetraplex substrates. 761.
Baum, M. *See* Halverson, Baum, Stryker, Carbon, and Clarke.
Bauvy, C. *See* Saint-Pol, Bauvy, Codogno, and Moore.
Belgareh, N., and Doye, V. Dynamics of nuclear pore distribution in nucleoporin mutant yeast cells. 747.
Belliveau, D.J., Krivko, I., Kohn, J., Lachance, C., Pozniak, C., Rusakov, D., Kaplan, D., and Miller, F.D. NGF and neurotrophin-3 both activate TrkA on sympathetic neurons but differentially regulate survival and neuritogenesis. 375.
Benelli, R. *See* Carlevaro, Albini, Ribatti, Gentili, Benelli, Cermelli, Cancedda, and Descalzi Cancedda.
Bennett, V. *See* Davis, Lambert, and Bennett.
Berger, K.H., Sogo, L.F., and Yaffe, M.P. Mdm12p, a component required for mitochondrial inheritance that is conserved between budding and fission yeast. 545.
Berndorff, D. *See* Kreft, Berndorff, Böttinger, Finnemann, Wedlich, Hortsch, Tauber, and Geßner.
Birkenmeier, C.S. *See* Zhou, Birkenmeier, Williams, Sharp, Barker, and Bloch.
Blanchard, M.-P. *See* Erxleben, Klauke, Flötenmeyer, Blanchard, Braun, and Plattner.
Blanks, J.E. *See* Zöllner, Lenter, Blanks, Borges, Steegmaier, Zerwes, and Vestweber.
Bloch, R.J. *See* Zhou, Birkenmeier, Williams, Sharp, Barker, and Bloch.
Bloom, K. *See* Yang, Yeh, Salmon, and Bloom.
Blow, J.J. *See* Mahbubani, Chong, Chevalier, Thömmes, and Blow.
Bock, C.B. *See* Cash, Bock, Schughart, Linney, and Underhill.
Boege, F. *See* Meyer, Kjeldsen, Straub, Knudsen, Hickson, Kikuchi, Kreipe, and Boege.
Borges, E. *See* Zöllner, Lenter, Blanks, Borges, Steegmaier, Zerwes, and Vestweber.
Borradori, L., Koch, P.J., Niessen, C.M., Erkeland, S., van Leusden, M.R., and Sonnenberg, A. The localization of bullous pemphigoid antigen 180 (BP180) in hemidesmosomes is mediated by its cytoplasmic domain and seems to be regulated by the β4 integrin subunit. 1333.
Böttinger, A. *See* Kreft, Berndorff, Böttinger, Finnemann, Wedlich, Hortsch, Tauber, and Geßner.
Brass, L.F. *See* Ma, Brass, and Abrams.
Braun, C. *See* Erxleben, Klauke, Flötenmeyer, Blanchard, Braun, and Plattner.
Bregman, D.B. *See* Kim, Du, Bregman, and Warren.
Brener, S.A. *See* Melikyan, Brener, Ok, and Cohen.
Broadus, A.E. *See* Amling, Neff, Tanaka, Inoue, Kuida, Wier, Philbrick, Broadus, and Baron.
Brockes, J.P. *See* Tanaka, Gann, Gates, and Brockes.
Bronk, P. *See* Chernomordik, Leikina, Frolov, Bronk, and Zimmerberg.
Bryant, N.J., and Stevens, T.H. Two separate signals act independently to localize a yeast late Golgi membrane protein through a combination of retrieval and retention. 287.
Bucci, M., and Wente, S.R. In vivo dynamics of nuclear pore complexes in yeast. 1185.
Bucher, K. *See* Sers, Emmenegger, Husmann, Bucher, Andres, and Schäfer.
Buck, F. *See* Schumacher, Volkmer, Buck, Otto, Tárnok, Roth, and Rathjen.
Buczynski, G., Grove, B., Nomura, A., Kleve, M., Bush, J., Firtel, R.A., and Cardelli, J. Inactivation of two *Dictyostelium discoideum* genes, *DdPIK1* and *DdPIK2*, encoding proteins related to mammalian phosphatidylinositide 3-kinases, results in defects in endocytosis, lysosome to postlysosome transport, and actin cytoskeleton organization. 1271.
Buerstedde, J.-M. *See* Bashkirov, Scherthan, Solinger, Buerstedde, and Heyer.
Burleigh, B.A., Caler, E.V., Webster, P., and Andrews, N.W. A cytosolic serine endopeptidase from *Trypanosoma cruzi* is required for the generation of Ca^{2+} signaling in mammalian cells. 609.
Bush, J. *See* Buczynski, Grove, Nomura, Kleve, Bush, Firtel, and Cardelli.
Buttle, K.F. *See* Khodjakov, Cole, McEwen, Buttle, and Rieder.

C

Caler, E.V. *See* Burleigh, Caler, Webster, and Andrews.
Cancedda, R. *See* Carlevaro, Albini, Ribatti, Gentili, Benelli, Cermelli, Cancedda, and Descalzi Cancedda.
Carbon, J. *See* Halverson, Baum, Stryker, Carbon, and Clarke.
Carbonetto, S. *See* Cohen, Jacobson, Yurchenco, Morris, and Carbonetto.
Cardelli, J. *See* Buczynski, Grove, Nomura, Kleve, Bush, Firtel, and Cardelli.
Carlevaro, M.F., Albini, A., Ribatti, D., Gentili, C., Benelli, R., Cermelli, S., Cancedda, R., and Descalzi Cancedda, F. Transferrin promotes endothelial cell migration and invasion: Implication in cartilage neovascularization. 1375.
Carlier, M.-F., Laurent, V., Santolini, J., Melki, R., Didry, D., Xia, G.-X., Hong, Y., Chua, N.-H., and Pantaloni, D. Actin depolymerizing factor (ADF/cofilin) enhances the rate of filament turnover: Implication in actin-based motility. 1307.

Caroni, P., Aigner, L., and Schneider, C. Intrinsic neuronal determinants locally regulate extrasynaptic and synaptic growth at the adult neuromuscular junction. 679.
Carrigan, M. *See* Henry, Carrigan, McCaffery, Ma, and Cline.
Cash, D.E., Bock, C.B., Schughart, K., Linney, E., and Underhill, T.M. Retinoic acid receptor α function in vertebrate limb skeletogenesis: A modulator of chondrogenesis. 445.
Cermelli, S. *See* Carlevaro, Albini, Ribatti, Gentili, Benelli, Cermelli, Cancedda, and Descalzi Cancedda.
Cheah, K.S.E. *See* Kwan, Pang, Zhou, Cowan, Kong, Pfordte, Olsen, Sillence, Tam, and Cheah.
Chen, L.B. *See* Lo, Yu, Degenstein, Chen, and Fuchs.
Chen, P., Sapperstein, S.K., Choi, J.D., and Michaelis, S. Biogenesis of the *Saccharomyces cerevisiae* mating pheromone a-factor. 251.
Chen, Q. *See* Lin, Aplin, Shen, Chen, Schaller, Romer, Aukhil, and Juliano.
Chernomordik, L.V., Leikina, E., Frolov, V., Bronk, P., and Zimmerberg, J. An early stage of membrane fusion mediated by the low pH conformation of influenza hemagglutinin depends upon membrane lipids. 81.
Chevalier, S. *See* Mahbubani, Chong, Chevalier, Thömmes, and Blow.
Chiang, H.-L. *See* Huang and Chiang.
Choi, J.D. *See* Chen, Sapperstein, Choi, and Michaelis.
Chong, J.P.J. *See* Mahbubani, Chong, Chevalier, Thömmes, and Blow.
Chua, N.-H. *See* Carlier, Laurent, Santolini, Melki, Didry, Xia, Hong, Chua, and Pantaloni.
Clark, R.A.F. *See* Xu and Clark.
Clarke, L. *See* Halverson, Baum, Stryker, Carbon, and Clarke.
Cline, K. *See* Henry, Carrigan, McCaffery, Ma, and Cline.
Codogno, P. *See* Saint-Pol, Bauvy, Codogno, and Moore.
Cohen, F.S. *See* Melikyan, Brener, Ok, and Cohen.
Cohen, M.W., Jacobson, C., Yurchenco, P.D., Morris, G.E., and Carbonetto, S. Laminin-induced clustering of dystroglycan on embryonic muscle cells: Comparison with agrin-induced clustering. 1047.
Cole, R.W. *See* Khodjakov, Cole, McEwen, Buttle, and Rieder.
Colton, T.L. *See* Wilson and Colton.
Cordes, V.C., Reidenbach, S., Rackwitz, H.-R., and Franke, W.W. Identification of protein p270/Tpr as a constitutive component of the nuclear pore complex–attached intranuclear filaments. 515.
Cordey, A.-S. *See* Giuffrè, Cordey, Monai, Tardy, Schapira, and Spertini.
Couchman, J.R. *See* Wu and Couchman.
Cowan, S.K. *See* Kwan, Pang, Zhou, Cowan, Kong, Pfordte, Olsen, Sillence, Tam, and Cheah.
Craig, A.M. *See* Kim, Naisbitt, Hsueh, Rao, Rothschild, Craig, and Sheng.
Cramer, L.P., Siebert, M., and Mitchison, T.J. Identification of novel graded polarity actin filament bundles in locomoting heart fibroblasts: Implications for the generation of motile force. 1287.
Cunningham, C.C., Leclerc, N., Flanagan, L.A., Lu, M., Janmey, P.A., and Kosik, K.S. Microtubule-associated protein 2c reorganizes both microtubules and microfilaments into distinct cytological structures in an actin-binding protein-280–deficient melanoma cell line. 845.

D

Dahlberg, J.E. *See* Powers, Forbes, Dahlberg, and Lund.
Dalby, B. *See* Pereira, Dalby, Stewart, Doxsey, and Goldstein.
Danielson, K.G., Baribault, H., Holmes, D.F., Graham, H., Kadler, K.E., and Iozzo, R.V. Targeted disruption of decorin leads to abnormal collagen fibril morphology and skin fragility. 729.
Dautry-Varsat, A. *See* Subtil, Delepierre, and Dautry-Varsat.
Davies, K.E. *See* Deconinck, Potter, Tinsley, Wood, Vater, Young, Metzinger, Vincent, Slater, and Davies.
Davis, J.Q., Lambert, S., and Bennett, V. Molecular composition of the node of Ranvier: Identification of ankyrin-binding cell adhesion molecules neurofascin (mucin+/third FNIII domain−) and NrCAM at nodal axon segments: Correction. 485.
Deconinck, A.E., Potter, A.C., Tinsley, J.M., Wood, S.J., Vater, R., Young, C., Metzinger, L., Vincent, A., Slater, C.R., and Davies, K.E. Postsynaptic abnormalities at the neuromuscular junctions of utrophin-deficient mice. 883.
Deerinck, T.J. *See* Wiemer, Wenzel, Deerinck, Ellisman, and Subramani.
Degenstein, L. *See* Lo, Yu, Degenstein, Chen, and Fuchs.
Delepierre, M. *See* Subtil, Delepierre, and Dautry-Varsat.
Descalzi Cancedda, F. *See* Carlevaro, Albini, Ribatti, Gentili, Benelli, Cermelli, Cancedda, and Descalzi Cancedda.
Dicou, E., Pflug, B., Magazin, M., Lehy, T., Djakiew, D., Ferrara, P., Nerrière, V., and Harvie, D. Two peptides derived from the nerve growth factor precursor are biologically active. 389.
Didry, D. *See* Carlier, Laurent, Santolini, Melki, Didry, Xia, Hong, Chua, and Pantaloni.
Djakiew, D. *See* Dicou, Pflug, Magazin, Lehy, Djakiew, Ferrara, Nerrière, and Harvie.
Doberstein, S.K., Fetter, R.D., Mehta, A.Y., and Goodman, C.S. Genetic analysis of myoblast fusion: *blown fuse* is required for progression beyond the prefusion complex. 1249.
Doxsey, S.J. *See* Pereira, Dalby, Stewart, Doxsey, and Goldstein.
Doye, V. *See* Belgareh and Doye.
Drubin, D.G. *See* Yang, Ayscough, and Drubin.
Du, L., and S.L. Warren. A functional interaction between the carboxy-terminal domain of RNA polymerase II and pre-mRNA splicing. 5.
— *See* Kim, Du, Bregman, and Warren.
Dutcher, S.K. *See* King and Dutcher.

E

Earnshaw, W.C. *See* Eckley, Ainsztein, Mackay, Goldberg, and Earnshaw.
Ebersold, M.W. *See* Sodeik, Ebersold, and Helenius.
Eckley, D.M., Ainsztein, A.M., Mackay, A.M., Goldberg, I.G., and Earnshaw, W.C. Chromosomal proteins and cytokinesis: Patterns of cleavage furrow formation and inner centromere protein positioning in mitotic heterokaryons and mid-anaphase cells. 1169.
Ellisman, M.H. *See* Wiemer, Wenzel, Deerinck, Ellisman, and Subramani.
Emmenegger, U. *See* Sers, Emmenegger, Husmann, Bucher, Andres, and Schäfer.
Emr, S.D. *See* Gaynor and Emr.
Erkeland, S. *See* Borradori, Koch, Niessen, Erkeland, van Leusden, and Sonnenberg.
Erxleben, C., Klauke, N., Flötenmeyer, M., Blanchard, M.-P., Braun, C., and Plattner, H. Microdomain Ca^{2+} activation during exocytosis in *Paramecium* cells. Superposition of local subplasmalemmal calcium store activation by local Ca^{2+} influx. 597.
Estus, S. *See* Furukawa, Estus, Fu, Mark, and Mattson.
Evan, G.I. *See* McCarthy, Whyte, Gilbert, and Evan.

F

Fasolato, C. *See* Pizzo, Fasolato, and Pozzan.
Ferrara, P. *See* Dicou, Pflug, Magazin, Lehy, Djakiew, Ferrara, Nerrière, and Harvie.
Fetter, R.D. *See* Doberstein, Fetter, Mehta, and Goodman.
Finnemann, S. *See* Kreft, Berndorff, Böttinger, Finnemann, Wedlich, Hortsch, Tauber, and Geßner.
Firtel, R.A. *See* Buczynski, Grove, Nomura, Kleve, Bush, Firtel, and Cardelli.
Flanagan, L.A. *See* Cunningham, Leclerc, Flanagan, Lu, Janmey, and Kosik.
Flötenmeyer, M. *See* Erxleben, Klauke, Flötenmeyer, Blanchard, Braun, and Plattner.
Forbes, D.J. *See* Powers, Forbes, Dahlberg, and Lund.
Franke, W.W. *See* Cordes, Reidenbach, Rackwitz, and Franke.
Fricker, M., Hollinshead, M., White, N., and Vaux, D. Interphase nuclei of many mammalian cell types contain deep, dynamic, tubular membrane-bound invaginations of the nuclear envelope. 531.
Frolov, V. *See* Chernomordik, Leikina, Frolov, Bronk, and Zimmerberg.
Fu, W. *See* Furukawa, Estus, Fu, Mark, and Mattson.
Fuchs, E. *See* Lo, Yu, Degenstein, Chen, and Fuchs.
Fujimura-Kamada, K., Nouvet, F.J., and Michaelis, S. A novel membrane-associated metalloprotease, Ste24p, is required for the first step of NH_2-terminal processing of the yeast a-factor precursor. 271.

Funato, K. *See* Mukhopadhyay, Barbieri, Funato, Roberts, and Stahl.
Furukawa, K., Estus, S., Fu, W., Mark, R.J., and Mattson, M.P. Neuroprotective action of cycloheximide involves induction of Bcl-2 and antioxidant pathways. 1137.

G

Gann, A.A.F. *See* Tanaka, Gann, Gates, and Brockes.
Gardner, L.C. *See* Rupp, O'Toole, Gardner, Mitchell, and Porter.
Gates, P.B. *See* Tanaka, Gann, Gates, and Brockes.
Gaynor, E.C., and Emr, S.D. COPI-independent anterograde transport: Cargo-selective ER to Golgi protein transport in yeast COPI mutants. 789.
Geelen, M.J.H. *See* Liou, Geuze, Geelen, and Slot.
Gentili, C. *See* Carlevaro, Albini, Ribatti, Gentili, Benelli, Cermelli, Cancedda, and Descalzi Cancedda.
Geßner, R. *See* Kreft, Berndorff, Böttinger, Finnemann, Wedlich, Hortsch, Tauber, and Geßner.
Geuze, H.J. *See* Liou, Geuze, Geelen, and Slot.
Giddings, T.H., Jr. *See* Schutz, Giddings, Steiner, and Winey.
Gilbert, C.S. *See* McCarthy, Whyte, Gilbert, and Evan.
Giuffrè, L., Cordey, A.-S., Monai, N., Tardy, Y., Schapira, M., and Spertini, O. Monocyte adhesion to activated aortic endothelium: Role of L-selectin and heparan sulfate proteoglycans. 945.
Gleizes, P.-E. *See* Nunes, Gleizes, Metz, and Rifkin.
Goldberg, I.G. *See* Eckley, Ainsztein, Mackay, Goldberg, and Earnshaw.
Goldin, A.L. *See* Shih and Goldin.
Goldman, A.E. *See* Spann, Moir, Goldman, Stick, and Goldman.
Goldman, R.D. *See* Spann, Moir, Goldman, Stick, and Goldman.
Goldstein, L.S.B. *See* Pereira, Dalby, Stewart, Doxsey, and Goldstein.
Gong, H. *See* Tian, Gong, Thomsen, and Lennarz.
Goodman, C.S. *See* Doberstein, Fetter, Mehta, and Goodman.
Goodwin, P.C. *See* Babcock, Herrington, Goodwin, Park, and Hille.
Gotoh, Y. *See* Takenaka, Gotoh, and Nishida.
Grady, R.M., Merlie, J.P., and Sanes, J.R. Subtle neuromuscular defects in utrophin-deficient mice. 871.
Graham, H. *See* Danielson, Baribault, Holmes, Graham, Kadler, and Iozzo.
Grove, B. *See* Buczynski, Grove, Nomura, Kleve, Bush, Firtel, and Cardelli.
Grumet, M. *See* Sakurai, Lustig, Nativ, Hemperly, Schlessinger, Peles, and Grumet.
Guger, K. *See* Vleminckx, Wong, Guger, Rubinfeld, Polakis, and Gumbiner.
Gumbiner, B.M. *See* Vleminckx, Wong, Guger, Rubinfeld, Polakis, and Gumbiner.
— *See* Wong and Gumbiner.

H

Habermacher, G., and Sale, W.S. Regulation of flagellar dynein by phosphorylation of a 138-kD inner arm dynein intermediate chain. 167.
Hage, W. *See* van Delft, Schumacher, Hage, Verkleij, and van Bergen en Henegouwen.
Halverson, D., Baum, M., Stryker, J., Carbon, J., and Clarke, L. A centromere DNA-binding protein from fission yeast affects chromosome segregation and has homology to human CENP-B. 487.
Harvie, D. *See* Dicou, Pflug, Magazin, Lehy, Djakiew, Ferrara, Nerrière, and Harvie.
Hegde, R.S. *See* Lingappa, Hill, Wong, and Hegde.
Helenius, A. *See* Sodeik, Ebersold, and Helenius.
— *See* Tatu and Helenius.
Hemperly, J.J. *See* Sakurai, Lustig, Nativ, Hemperly, Schlessinger, Peles, and Grumet.
Henry, R., Carrigan, M., McCaffery, M., Ma, X., and Cline, K. Targeting determinants and proposed evolutionary basis for the Sec and the Delta pH protein transport systems in chloroplast thylakoid membranes. 823.
Herrington, J. *See* Babcock, Herrington, Goodwin, Park, and Hille.
Heyer, W.-D. *See* Bashkirov, Scherthan, Solinger, Buerstedde, and Heyer.
Hickson, I.D. *See* Meyer, Kjeldsen, Straub, Knudsen, Hickson, Kikuchi, Kreipe, and Boege.
Hill, R.L. *See* Lingappa, Hill, Wong, and Hegde.
Hille, B. *See* Babcock, Herrington, Goodwin, Park, and Hille.
Hollinshead, M. *See* Fricker, Hollinshead, White, and Vaux.
Holmes, D.F. *See* Danielson, Baribault, Holmes, Graham, Kadler, and Iozzo.
Hong, Y. *See* Carlier, Laurent, Santolini, Melki, Didry, Xia, Hong, Chua, and Pantaloni.
Hoock, T.C., Peters, L.L., and Lux, S.E. Isoforms of ankyrin-3 that lack the NH_2-terminal repeats associate with mouse macrophage lysosomes. 1059.
Horiguchi, Y. *See* Katahira, Inoue, Horiguchi, Matsuda, and Sugimoto.
Hortsch, M. *See* Kreft, Berndorff, Böttinger, Finnemann, Wedlich, Hortsch, Tauber, and Geßner.
Hsueh, Y.-P. *See* Kim, Naisbitt, Hsueh, Rao, Rothschild, Craig, and Sheng.
Huang, P.-H., and Chiang, H.-L. Identification of novel vesicles in the cytosol to vacuole protein degradation pathway. 803.
Husmann, K. *See* Sers, Emmenegger, Husmann, Bucher, Andres, and Schäfer.

I

Inoue, D. *See* Amling, Neff, Tanaka, Inoue, Kuida, Wier, Philbrick, Broadus, and Baron.
Inoue, N. *See* Katahira, Inoue, Horiguchi, Matsuda, and Sugimoto.
Iozzo, R.V. *See* Danielson, Baribault, Holmes, Graham, Kadler, and Iozzo.

J

Jacobson, C. *See* Cohen, Jacobson, Yurchenco, Morris, and Carbonetto.
Jalkanen, S. *See* Airas, Niemelä, Salmi, Puurunen, Smith, and Jalkanen.
Janmey, P.A. *See* Cunningham, Leclerc, Flanagan, Lu, Janmey, and Kosik.
Jensen, P.J. *See* Lewis, Wahl, Sass, Jensen, Johnson, and Wheelock.
Johnson, K.R. *See* Lewis, Wahl, Sass, Jensen, Johnson, and Wheelock.
Juliano, R.L. *See* Lin, Aplin, Shen, Chen, Schaller, Romer, Aukhil, and Juliano.

K

Kadler, K.E. *See* Danielson, Baribault, Holmes, Graham, Kadler, and Iozzo.
Kansas, G.S. *See* Lawrence, Kansas, Kunkel, and Ley.
Kaplan, D. *See* Belliveau, Krivko, Kohn, Lachance, Pozniak, Rusakov, Kaplan, and Miller.
Katahira, J., Inoue, N., Horiguchi, Y., Matsuda, M., and Sugimoto, N. Molecular cloning and functional characterization of the receptor for *Clostridium perfringens* enterotoxin. 1239.
Kato, M. *See* Nakajima, Miyazono, Kato, Takase, Yamagishi, and Nakamura.
Keegstra, K. *See* Akita, Nielsen, and Keegstra.
Khodjakov, A., Cole, R.W., McEwen, B.F., Buttle, K.F., and Rieder, C.L. Chromosome fragments possessing only one kinetochore can congress to the spindle equator. 229.
Kikuchi, A. *See* Meyer, Kjeldsen, Straub, Knudsen, Hickson, Kikuchi, Kreipe, and Boege.
Kim, E., Du, L., Bregman, D.B., and Warren, S.L. Splicing factors associate with hyperphosphorylated RNA polymerase II in the absence of pre-mRNA. 19.
—, **Naisbitt, S., Hsueh, Y.-P., Rao, A., Rothschild, A., Craig, A.M., and Sheng, M.** GKAP, a novel synaptic protein that interacts with the guanylate kinase-like domain of the PSD-95/SAP90 family of channel clustering molecules. 669.
Kimelman, D. *See* Larabell, Torres, Rowning, Yost, Miller, Wu, Kimelman, and Moon.
King, S.J., and Dutcher, S.K. Phosphoregulation of an inner dynein arm complex in *Chlamydomonas reinhardtii* is altered in phototactic mutant strains. 177.
Kislauskis, E.H., Zhu, X.-c., and Singer, R.H. β-Actin messenger RNA localization and protein synthesis augment cell motility. 1263.

Kjeldsen, E. *See* Meyer, Kjeldsen, Straub, Knudsen, Hickson, Kikuchi, Kreipe, and Boege.
Klauke, N. *See* Erxleben, Klauke, Flötenmeyer, Blanchard, Braun, and Plattner.
Kleve, M. *See* Buczynski, Grove, Nomura, Kleve, Bush, Firtel, and Cardelli.
Knudsen, B.R. *See* Meyer, Kjeldsen, Straub, Knudsen, Hickson, Kikuchi, Kreipe, and Boege.
Koch, P.J. *See* Borradori, Koch, Niessen, Erkeland, van Leusden, and Sonnenberg.
Kohn, J. *See* Belliveau, Krivko, Kohn, Lachance, Pozniak, Rusakov, Kaplan, and Miller.
Kong, R.Y.C. *See* Kwan, Pang, Zhou, Cowan, Kong, Pfordte, Olsen, Sillence, Tam, and Cheah.
Kosik, K.S. *See* Cunningham, Leclerc, Flanagan, Lu, Janmey, and Kosik.
Kreft, B., Berndorff, D., Böttinger, A., Finnemann, S., Wedlich, D., Hortsch, M., Tauber, R., and Geßner, R. LI-cadherin–mediated cell–cell adhesion does not require cytoplasmic interactions. 1109.
Kreipe, H. *See* Meyer, Kjeldsen, Straub, Knudsen, Hickson, Kikuchi, Kreipe, and Boege.
Krivko, I. *See* Belliveau, Krivko, Kohn, Lachance, Pozniak, Rusakov, Kaplan, and Miller.
Kuida, K. *See* Amling, Neff, Tanaka, Inoue, Kuida, Wier, Philbrick, Broadus, and Baron.
Kunkel, E.J. *See* Lawrence, Kansas, Kunkel, and Ley.
Kuriyama, R. *See* Yu, Sharp, Kuriyama, Mallik, and Baas.
Kwan, K.M., Pang, M.K.M., Zhou, S., Cowan, S.K., Kong, R.Y.C., Pfordte, T., Olsen, B.R., Sillence, D.O., Tam, P.P.L., and Cheah, K.S.E. Abnormal compartmentalization of cartilage matrix components in mice lacking collagen X: Implications for function. 459.

L

Lachance, C. *See* Belliveau, Krivko, Kohn, Lachance, Pozniak, Rusakov, Kaplan, and Miller.
Lacroix, F.B. *See* Andreassen, Lacroix, and Margolis.
Lambert, S. *See* Davis, Lambert, and Bennett.
Larabell, C.A., Torres, M., Rowning, B.A., Yost, C., Miller, J.R., Wu, M., Kimelman, D., and Moon, R.T. Establishment of the dorsoventral axis in *Xenopus* embryos is presaged by early asymmetries in β-catenin that are modulated by the Wnt signaling pathway. 1123.
Laurent, V. *See* Carlier, Laurent, Santolini, Melki, Didry, Xia, Hong, Chua, and Pantaloni.
Lawrence, M.B., Kansas, G.S., Kunkel, E.J., and Ley, K. Threshold levels of fluid shear promote leukocyte adhesion through selectins (CD62L,P,E). 717.
Leclerc, N. *See* Cunningham, Leclerc, Flanagan, Lu, Janmey, and Kosik.
Lehy, T. *See* Dicou, Pflug, Magazin, Lehy, Djakiew, Ferrara, Nerrière, and Harvie.
Leikina, E. *See* Chernomordik, Leikina, Frolov, Bronk, and Zimmerberg.
Lelongt, B., Trugman, G., Murphy, G., and Ronco, P.M. Matrix metalloproteinases MMP2 and MMP9 are produced in early stages of kidney morphogenesis but only MMP9 is required for renal organogenesis in vitro. 1363.
Lennarz, W.J. *See* Tian, Gong, Thomsen, and Lennarz.
Lenter, M.C. *See* Zöllner, Lenter, Blanks, Borges, Steegmaier, Zerwes, and Vestweber.
Lewis, J.E., Wahl, J.K., III, Sass, K.M., Jensen, P.J., Johnson, K.R., and Wheelock, M.J. Cross-talk between adherens junctions and desmosomes depends on plakoglobin. 919.
Ley, K. *See* Lawrence, Kansas, Kunkel, and Ley.
Li, R. Bee1, a yeast protein with homology to Wiskott-Aldrich syndrome protein, is critical for the assembly of cortical actin cytoskeleton. 649.
Lin, T.H., Aplin, A.E., Shen, Y., Chen, Q., Schaller, M., Romer, L., Aukhil, I., and Juliano, R.L. Integrin-mediated activation of MAP kinase is independent of FAK: Evidence for dual integrin signaling pathways in fibroblasts. 1385.
Lingappa, J.R., Hill, R.L., Wong, M.L., and Hegde, R.S. A multistep, ATP-dependent pathway for assembly of human immunodeficiency virus capsids in a cell-free system. 567.
Linney, E. *See* Cash, Bock, Schughart, Linney, and Underhill.
Liou, W., Geuze, H.J., Geelen, M.J.H., and Slot, J.W. The autophagic and endocytic pathways converge at the nascent autophagic vacuoles. 61.
Lo, S.H., Yu, Q.-C., Degenstein, L., Chen, L.B., and Fuchs, E. Progressive kidney degeneration in mice lacking tensin. 1349.
Lu, M. *See* Cunningham, Leclerc, Flanagan, Lu, Janmey, and Kosik.
Lund, E. *See* Powers, Forbes, Dahlberg, and Lund.
Lustig, M. *See* Sakurai, Lustig, Nativ, Hemperly, Schlessinger, Peles, and Grumet.
Lux, S.E. *See* Hoock, Peters, and Lux.

M

Ma, A.D., Brass, L.F., and Abrams, C.S. Pleckstrin associates with plasma membranes and induces the formation of membrane projections: Requirements for phosphorylation and the NH_2-terminal PH domain. 1071.
Ma, X. *See* Henry, Carrigan, McCaffery, Ma, and Cline.
Mackay, A.M. *See* Eckley, Ainsztein, Mackay, Goldberg, and Earnshaw.
Magazin, M. *See* Dicou, Pflug, Magazin, Lehy, Djakiew, Ferrara, Nerrière, and Harvie.
Mahbubani, H.M., Chong, J.P.J., Chevalier, S., Thömmes, P., and Blow, J.J. Cell cycle regulation of the replication licensing system: Involvement of a Cdk-dependent inhibitor. 125.
Mallik, P. *See* Yu, Sharp, Kuriyama, Mallik, and Baas.
Margolis, R.L. *See* Andreassen, Lacroix, and Margolis.
Mark, R.J. *See* Furukawa, Estus, Fu, Mark, and Mattson.
Matsuda, M. *See* Katahira, Inoue, Horiguchi, Matsuda, and Sugimoto.
Mattson, M.P. *See* Furukawa, Estus, Fu, Mark, and Mattson.
Mayer, A., and Wickner, W. Docking of yeast vacuoles is catalyzed by the Ras-like GTPase Ypt7p after symmetric priming by Sec18p (NSF). 307.
— *See* Xu, Mayer, Muller, and Wickner.
McCaffery, M. *See* Henry, Carrigan, McCaffery, Ma, and Cline.
McCarthy, N.J., Whyte, M.K.B., Gilbert, C.S., and Evan, G.I. Inhibition of Ced-3/ICE-related proteases does not prevent cell death induced by oncogenes, DNA damage, or the Bcl-2 homologue Bak. 215.
McEwen, B.F. *See* Khodjakov, Cole, McEwen, Buttle, and Rieder.
Mehta, A.Y. *See* Doberstein, Fetter, Mehta, and Goodman.
Melikyan, G.B., Brener, S.A., Ok, D.C., and Cohen, F.S. Inner but not outer membrane leaflets control the transition from glycosylphosphatidylinositol-anchored influenza hemagglutinin-induced hemifusion to full fusion. 995.
Melki, R. *See* Carlier, Laurent, Santolini, Melki, Didry, Xia, Hong, Chua, and Pantaloni.
Merlie, J.P. *See* Grady, Merlie, and Sanes.
Metz, C.N. *See* Nunes, Gleizes, Metz, and Rifkin.
Metzinger, L. *See* Deconinck, Potter, Tinsley, Wood, Vater, Young, Metzinger, Vincent, Slater, and Davies.
Meyer, K.N., Kjeldsen, E., Straub, T., Knudsen, B.R., Hickson, I.D., Kikuchi, A., Kreipe, H., and Boege, F. Cell cycle–coupled relocation of types I and II topoisomerases and modification of catalytic enzyme activities. 775.
Michaelis, S. *See* Chen, Sapperstein, Choi, and Michaelis.
— *See* Fujimura-Kamada, Nouvet, and Michaelis.
Miller, F.D. *See* Belliveau, Krivko, Kohn, Lachance, Pozniak, Rusakov, Kaplan, and Miller.
Miller, J.R. *See* Larabell, Torres, Rowning, Yost, Miller, Wu, Kimelman, and Moon.
Mitchell, B.F. *See* Rupp, O'Toole, Gardner, Mitchell, and Porter.
Mitchison, T.J. *See* Cramer, Siebert, and Mitchison.
— *See* Rosenblatt, Agnew, Abe, Bamburg, and Mitchison.
— *See* Walczak, Verma, and Mitchison.
Miyazono, K. *See* Nakajima, Miyazono, Kato, Takase, Yamagishi, and Nakamura.
Moir, R.D. *See* Spann, Moir, Goldman, Stick, and Goldman.
Monai, N. *See* Giuffrè, Cordey, Monai, Tardy, Schapira, and Spertini.
Moon, R.T. *See* Larabell, Torres, Rowning, Yost, Miller, Wu, Kimelman, and Moon.
Moore, S.E.H. *See* Saint-Pol, Bauvy, Codogno, and Moore.
Morris, G.E. *See* Cohen, Jacobson, Yurchenco, Morris, and Carbonetto.
Mostov, K.E. *See* Barth, Pollack, Altschuler, Mostov, and Nelson.
Mukhopadhyay, A., Barbieri, A.M., Funato, K., Roberts, R., and Stahl, P.D. Sequential actions of Rab5 and Rab7 regulate endocytosis in the *Xenopus* oocyte. 1227.
Muller, E. *See* Xu, Mayer, Muller, and Wickner.
Mullins, R.D., Stafford, W.F., and Pollard, T.D. Structure, subunit topology, and actin-binding activity of the Arp2/3 complex from *Acanthamoeba*. 331.

Murphy, E.C., III, Zheng, T., and Nicchitta, C.V. Identification of a novel stage of ribosome/nascent chain association with the endoplasmic reticulum membrane. 1213.
Murphy, G. *See* Lelongt, Trugman, Murphy, and Ronco.

N

Naisbitt, S. *See* Kim, Naisbitt, Hsueh, Rao, Rothschild, Craig, and Sheng.
Nakajima, Y., Miyazono, K., Kato, M., Takase, M., Yamagishi, T., and Nakamura, H. Extracellular fibrillar structure of latent TGFβ binding protein-1: Role in TGFβ-dependent endothelial-mesenchymal transformation during endocardial cushion tissue formation in mouse embryonic heart. 193.
Nakamura, H. *See* Nakajima, Miyazono, Kato, Takase, Yamagishi, and Nakamura.
Nativ, M. *See* Sakurai, Lustig, Nativ, Hemperly, Schlessinger, Peles, and Grumet.
Neff, L. *See* Amling, Neff, Tanaka, Inoue, Kuida, Wier, Philbrick, Broadus, and Baron.
Nelson, W.J. *See* Barth, Pollack, Altschuler, Mostov, and Nelson.
Nerrière, V. *See* Dicou, Pflug, Magazin, Lehy, Djakiew, Ferrara, Nerrière, and Harvie.
Nicchitta, C.V. *See* Murphy, Zheng, and Nicchitta.
Nielsen, E. *See* Akita, Nielsen, and Keegstra.
Niemelä, J. *See* Airas, Niemelä, Salmi, Puurunen, Smith, and Jalkanen.
Niessen, C.M. *See* Borradori, Koch, Niessen, Erkeland, van Leusden, and Sonnenberg.
Nishida, E. *See* Takenaka, Gotoh, and Nishida.
Nomura, A. *See* Buczynski, Grove, Nomura, Kleve, Bush, Firtel, and Cardelli.
Nouvet, F.J. *See* Fujimura-Kamada, Nouvet, and Michaelis.
Novak, K.D., and Titus, M.A. Myosin I overexpression impairs cell migration. 633.
Nunes, I., Gleizes, P.-E., Metz, C.N., and Rifkin, D.B. Latent transforming growth factor-β binding protein domains involved in activation and transglutaminase-dependent cross-linking of latent transforming growth factor-β. 1151.

O

Ok, D.C. *See* Melikyan, Brener, Ok, and Cohen.
Olsen, B.R. *See* Kwan, Pang, Zhou, Cowan, Kong, Pfordte, Olsen, Sillence, Tam, and Cheah.
O'Toole, E. *See* Rupp, O'Toole, Gardner, Mitchell, and Porter.
Otto, A. *See* Schumacher, Volkmer, Buck, Otto, Tárnok, Roth, and Rathjen.

P

Pang, M.K.M. *See* Kwan, Pang, Zhou, Cowan, Kong, Pfordte, Olsen, Sillence, Tam, and Cheah.
Pantaloni, D. *See* Carlier, Laurent, Santolini, Melki, Didry, Xia, Hong, Chua, and Pantaloni.
Park, Y.B. *See* Babcock, Herrington, Goodwin, Park, and Hille.
Parton, R.G., Way, M., Zorzi, N., and Stang, E. Caveolin-3 associates with developing T-tubules during muscle differentiation. 137.
Peles, E. *See* Sakurai, Lustig, Nativ, Hemperly, Schlessinger, Peles, and Grumet.
Pereira, A.J., Dalby, B., Stewart, R.J., Doxsey, S.J., and Goldstein, L.S.B. Mitochondrial association of a plus end–directed microtubule motor expressed during mitosis in *Drosophila.* 1081.
Peters, L.L. *See* Hoock, Peters, and Lux.
Pflug, B. *See* Dicou, Pflug, Magazin, Lehy, Djakiew, Ferrara, Nerrière, and Harvie.
Pfordte, T. *See* Kwan, Pang, Zhou, Cowan, Kong, Pfordte, Olsen, Sillence, Tam, and Cheah.
Philbrick, W.M. *See* Amling, Neff, Tanaka, Inoue, Kuida, Wier, Philbrick, Broadus, and Baron.
Pizzo, P., Fasolato, C., and Pozzan, T. Dynamic properties of an inositol 1,4,5-trisphosphate– and thapsigargin-insensitive calcium pool in mammalian cell lines. 355.
Plattner, H. *See* Erxleben, Klauke, Flötenmeyer, Blanchard, Braun, and Plattner.
Polakis, P. *See* Vleminckx, Wong, Guger, Rubinfeld, Polakis, and Gumbiner.
Pollack, A.L. *See* Barth, Pollack, Altschuler, Mostov, and Nelson.
Pollard, T.D. *See* Mullins, Stafford, and Pollard.
Porter, M.E. *See* Rupp, O'Toole, Gardner, Mitchell, and Porter.
Potter, A.C. *See* Deconinck, Potter, Tinsley, Wood, Vater, Young, Metzinger, Vincent, Slater, and Davies.
Powers, M.A., Forbes, D.J., Dahlberg, J.E., and Lund, E. The vertebrate GLFG nucleoporin, Nup98, is an essential component of multiple RNA export pathways. 241.
Pozniak, C. *See* Belliveau, Krivko, Kohn, Lachance, Pozniak, Rusakov, Kaplan, and Miller.
Pozzan, T. *See* Pizzo, Fasolato, and Pozzan.
Puurunen, T. *See* Airas, Niemelä, Salmi, Puurunen, Smith, and Jalkanen.

R

Rackwitz, H.-R. *See* Cordes, Reidenbach, Rackwitz, and Franke.
Rao, A. *See* Kim, Naisbitt, Hsueh, Rao, Rothschild, Craig, and Sheng.
Rathjen, F.G. *See* Schumacher, Volkmer, Buck, Otto, Tárnok, Roth, and Rathjen.
Reidenbach, S. *See* Cordes, Reidenbach, Rackwitz, and Franke.
Resh, M.D. *See* van 't Hof and Resh.
Ribatti, D. *See* Carlevaro, Albini, Ribatti, Gentili, Benelli, Cermelli, Cancedda, and Descalzi Cancedda.
Rieder, C.L. *See* Khodjakov, Cole, McEwen, Buttle, and Rieder.
Rifkin, D.B. *See* Nunes, Gleizes, Metz, and Rifkin.
Roberts, R. *See* Mukhopadhyay, Barbieri, Funato, Roberts, and Stahl.
Roeder, G.S. *See* Smith and Roeder.
Romer, L. *See* Lin, Aplin, Shen, Chen, Schaller, Romer, Aukhil, and Juliano.
Ronco, P.M. *See* Lelongt, Trugman, Murphy, and Ronco.
Rosenblatt, J., Agnew, B.J., Abe, H., Bamburg, J.R., and Mitchison, T.J. *Xenopus* actin depolymerizing factor/cofilin (XAC) is responsible for the turnover of actin filaments in *Listeria monocytogenes* tails. 1323.
Rossi, S.G. *See* Rotundo, Rossi, and Anglister.
Roth, S. *See* Schumacher, Volkmer, Buck, Otto, Tárnok, Roth, and Rathjen.
Rothschild, A. *See* Kim, Naisbitt, Hsueh, Rao, Rothschild, Craig, and Sheng.
Rotundo, R.L., Rossi, S.G., and Anglister, L. Transplantation of quail collagen-tailed acetylcholinesterase molecules onto the frog neuromuscular synapse. 367.
Rowning, B.A. *See* Larabell, Torres, Rowning, Yost, Miller, Wu, Kimelman, and Moon.
Rubinfeld, B. *See* Vleminckx, Wong, Guger, Rubinfeld, Polakis, and Gumbiner.
Rupp, G., O'Toole, E., Gardner, L.C., Mitchell, B.F., and Porter, M.E. The *sup-pf-2* mutations of *Chlamydomonas* alter the activity of the outer dynein arms by modification of the γ-dynein heavy chain: Correction. 745.
Rusakov, D. *See* Belliveau, Krivko, Kohn, Lachance, Pozniak, Rusakov, Kaplan, and Miller.

S

Saint-Pol, A., Bauvy, C., Codogno, P., and Moore, S.E.H. Transfer of free polymannose-type oligosaccharides from the cytosol to lysosomes in cultured human hepatocellular carcinoma HEPG2 cells. 45.
Sakurai, T., Lustig, M., Nativ, M., Hemperly, J.J., Schlessinger, J., Peles, E., and Grumet, M. Induction of neurite outgrowth through contactin and Nr-CAM by extracellular regions of glial receptor tyrosine phosphatase β. 907.
Sale, W.S. *See* Habermacher and Sale.
Salmi, M. *See* Airas, Niemelä, Salmi, Puurunen, Smith, and Jalkanen.
Salmon, E.D. *See* Yang, Yeh, Salmon, and Bloom.
Sanes, J.R. *See* Grady, Merlie, and Sanes.
Santolini, J. *See* Carlier, Laurent, Santolini, Melki, Didry, Xia, Hong, Chua, and Pantaloni.
Santos, B., and Snyder, M. Targeting of chitin synthase 3 to polarized growth sites in yeast requires Chs5p and Myo2p. 95.

Sapperstein, S.K. *See* Chen, Sapperstein, Choi, and Michaelis.
Sass, K.M. *See* Lewis, Wahl, Sass, Jensen, Johnson, and Wheelock.
Schäfer, R. *See* Sers, Emmenegger, Husmann, Bucher, Andres, and Schäfer.
Schaller, M. *See* Lin, Aplin, Shen, Chen, Schaller, Romer, Aukhil, and Juliano.
Schapira, M. *See* Giuffrè, Cordey, Monai, Tardy, Schapira, and Spertini.
Scherthan, H. *See* Bashkirov, Scherthan, Solinger, Buerstedde, and Heyer.
Schlessinger, J. *See* Sakurai, Lustig, Nativ, Hemperly, Schlessinger, Peles, and Grumet.
Schneider, C. *See* Caroni, Aigner, and Schneider.
Schughart, K. *See* Cash, Bock, Schughart, Linney, and Underhill.
Schumacher, C. *See* van Delft, Schumacher, Hage, Verkleij, and van Bergen en Henegouwen.
Schumacher, S., Volkmer, H., Buck, F., Otto, A., Tárnok, A., Roth, S., and Rathjen, F.G. Chicken acidic leucine-rich EGF-like domain containing brain protein (CALEB), a neural member of the EGF family of differentiation factors, is implicated in neurite formation. 895.
Schutz, A.R., Giddings, T.H., Jr., Steiner, E., and Winey, M. The yeast *CDC37* gene interacts with *MPS1* and is required for proper execution of spindle pole body duplication. 969.
Sers, C., Emmenegger, U., Husmann, K., Bucher, K., Andres, A.-C., and Schäfer, R. Growth-inhibitory activity and downregulation of the class II tumor-suppressor gene *H-rev107* in tumor cell lines and experimental tumors. 935.
Sharp, D.J. *See* Yu, Sharp, Kuriyama, Mallik, and Baas.
Sharp, J.J. *See* Zhou, Birkenmeier, Williams, Sharp, Barker, and Bloch.
Shelby, R.D., Vafa, O., and Sullivan, K.F. Assembly of CENP-A into centromeric chromatin requires a cooperative array of nucleosomal DNA contact sites. 501.
Shen, Y. *See* Lin, Aplin, Shen, Chen, Schaller, Romer, Aukhil, and Juliano.
Sheng, M. *See* Kim, Naisbitt, Hsueh, Rao, Rothschild, Craig, and Sheng.
Shih, T.M., and Goldin, A.L. Topology of the *Shaker* potassium channel probed with hydrophilic epitope insertions. 1037.
Siebert, M. *See* Cramer, Siebert, and Mitchison.
Sillence, D.O. *See* Kwan, Pang, Zhou, Cowan, Kong, Pfordte, Olsen, Sillence, Tam, and Cheah.
Singer, R.H. *See* Kislauskis, Zhu, and Singer.
Slater, C.R. *See* Deconinck, Potter, Tinsley, Wood, Vater, Young, Metzinger, Vincent, Slater, and Davies.
Slot, J.W. *See* Liou, Geuze, Geelen, and Slot.
Smith, A.V., and Roeder, G.S. The yeast Red1 protein localizes to the cores of meiotic chromosomes. 957.
Smith, D.J. *See* Airas, Niemelä, Salmi, Puurunen, Smith, and Jalkanen.
Snyder, M. *See* Santos and Snyder.
Sodeik, B., Ebersold, M.W., and Helenius, A. Microtubule-mediated transport of incoming herpes simplex virus 1 capsids to the nucleus. 1007.
Sogo, L.F. *See* Berger, Sogo, and Yaffe.
Solinger, J.A. *See* Bashkirov, Scherthan, Solinger, Buerstedde, and Heyer.
Sonnenberg, A. *See* Borradori, Koch, Niessen, Erkeland, van Leusden, and Sonnenberg.
Spann, T.P., Moir, R.D., Goldman, A.E., Stick, R., and Goldman, R.D. Disruption of nuclear lamin organization alters the distribution of replication factors and inhibits DNA synthesis. 1201.
Spertini, O. *See* Giuffrè, Cordey, Monai, Tardy, Schapira, and Spertini.
Stafford, W.F. *See* Mullins, Stafford, and Pollard.
Stahl, P.D. *See* Mukhopadhyay, Barbieri, Funato, Roberts, and Stahl.
Stang, E. *See* Parton, Way, Zorzi, and Stang.
Steegmaier, M. *See* Zöllner, Lenter, Blanks, Borges, Steegmaier, Zerwes, and Vestweber.
Steiner, E. *See* Schutz, Giddings, Steiner, and Winey.
Stevens, T.H. *See* Bryant and Stevens.
Stewart, R.J. *See* Pereira, Dalby, Stewart, Doxsey, and Goldstein.
Stick, R. *See* Spann, Moir, Goldman, Stick, and Goldman.
Straub, T. *See* Meyer, Kjeldsen, Straub, Knudsen, Hickson, Kikuchi, Kreipe, and Boege.
Stryker, J. *See* Halverson, Baum, Stryker, Carbon, and Clarke.
Subramani, S. *See* Wiemer, Wenzel, Deerinck, Ellisman, and Subramani.
Subtil, A., Delepierre, M., and Dautry-Varsat, A. An α-helical signal in the cytosolic domain of the interleukin 2 receptor β chain mediates sorting towards degradation after endocytosis. 583.
Sugimoto, N. *See* Katahira, Inoue, Horiguchi, Matsuda, and Sugimoto.
Sullivan, K.F. *See* Shelby, Vafa, and Sullivan.

T

Takase, M. *See* Nakajima, Miyazono, Kato, Takase, Yamagishi, and Nakamura.
Takenaka, K., Gotoh, Y., and Nishida, E. MAP kinase is required for the spindle assembly checkpoint but is dispensable for the normal M phase entry and exit in *Xenopus* egg cell cycle extracts. 1091.
Tam, P.P.L. *See* Kwan, Pang, Zhou, Cowan, Kong, Pfordte, Olsen, Sillence, Tam, and Cheah.
Tanaka, E.M., Gann, A.A.F., Gates, P.B., and Brockes, J.P. Newt myotubes reenter the cell cycle by phosphorylation of the retinoblastoma protein. 155.
Tanaka, S. *See* Amling, Neff, Tanaka, Inoue, Kuida, Wier, Philbrick, Broadus, and Baron.
Tardy, Y. *See* Giuffrè, Cordey, Monai, Tardy, Schapira, and Spertini.
Tárnok, A. *See* Schumacher, Volkmer, Buck, Otto, Tárnok, Roth, and Rathjen.
Tatu, U., and Helenius, A. Interactions between newly synthesized glycoproteins, calnexin and a network of resident chaperones in the endoplasmic reticulum. 555.
Tauber, R. *See* Kreft, Berndorff, Böttinger, Finnemann, Wedlich, Hortsch, Tauber, and Geßner.
Theriot, J.A. Accelerating on a treadmill: ADF/Cofilin promotes rapid actin filament turnover in the dynamic cytoskeleton. 1165.
Thömmes, P. *See* Mahbubani, Chong, Chevalier, Thömmes, and Blow.
Thomsen, G.H. *See* Tian, Gong, Thomsen, and Lennarz.
Tian, J., Gong, H., Thomsen, G.H., and Lennarz, W.J. Gamete interactions in *Xenopus laevis*: Identification of sperm binding glycoproteins in the egg vitelline envelope. 1099.
Tinsley, J.M. *See* Deconinck, Potter, Tinsley, Wood, Vater, Young, Metzinger, Vincent, Slater, and Davies.
Titus, M.A. *See* Novak and Titus.
Torres, M. *See* Larabell, Torres, Rowning, Yost, Miller, Wu, Kimelman, and Moon.
Trugman, G. *See* Lelongt, Trugman, Murphy, and Ronco.

U

Underhill, T.M. *See* Cash, Bock, Schughart, Linney, and Underhill.

V

Vafa, O. *See* Shelby, Vafa, and Sullivan.
van Bergen en Henegouwen, P.M.P. *See* van Delft, Schumacher, Hage, Verkleij, and van Bergen en Henegouwen.
van Delft, S., Schumacher, C., Hage, W., Verkleij, A.J., and van Bergen en Henegouwen, P.M.P. Association and colocalization of Eps15 with adaptor protein-2 and clathrin. 811.
van Leusden, M.R. *See* Borradori, Koch, Niessen, Erkeland, van Leusden, and Sonnenberg.
van 't Hof, W., and Resh, M.D. Rapid plasma membrane anchoring of newly synthesized $p59^{fyn}$: Selective requirement for NH_2-terminal myristoylation and palmitoylation at cysteine-3. 1023.
Vater, R. *See* Deconinck, Potter, Tinsley, Wood, Vater, Young, Metzinger, Vincent, Slater, and Davies.
Vaux, D. *See* Fricker, Hollinshead, White, and Vaux.
Verkleij, A.J. *See* van Delft, Schumacher, Hage, Verkleij, and van Bergen en Henegouwen.
Verma, S. *See* Walczak, Verma, and Mitchison.
Vestweber, D. *See* Zöllner, Lenter, Blanks, Borges, Steegmaier, Zerwes, and Vestweber.
Vincent, A. *See* Deconinck, Potter, Tinsley, Wood, Vater, Young, Metzinger, Vincent, Slater, and Davies.
Vleminckx, K., Wong, E., Guger, K., Rubinfeld, B., Polakis, P., and Gumbiner, B.M. Adenomatous polyposis coli tumor suppressor protein has signaling activity in *Xenopus laevis* embryos resulting in the induction of an ectopic dorsoanterior axis. 411.
Volkmer, H. *See* Schumacher, Volkmer, Buck, Otto, Tárnok, Roth, and Rathjen.

W

Wahl, J.K., III *See* Lewis, Wahl, Sass, Jensen, Johnson, and Wheelock.
Walczak, C.E., Verma, S., and Mitchison, T.J. XCTK2: A kinesin-related protein that promotes mitotic spindle assembly in *Xenopus laevis* egg extracts. 859.
Warren, S.L. *See* Du and Warren.
— *See* Kim, Du, Bregman, and Warren.
Way, M. *See* Parton, Way, Zorzi, and Stang.
Webster, P. *See* Burleigh, Caler, Webster, and Andrews.
Wedlich, D. *See* Kreft, Berndorff, Böttinger, Finnemann, Wedlich, Hortsch, Tauber, and Geßner.
Wente, S.R. *See* Bucci and Wente.
Wenzel, T. *See* Wiemer, Wenzel, Deerinck, Ellisman, and Subramani.
Wheelock, M.J. *See* Lewis, Wahl, Sass, Jensen, Johnson, and Wheelock.
White, N. *See* Fricker, Hollinshead, White, and Vaux.
Whyte, M.K.B. *See* McCarthy, Whyte, Gilbert, and Evan.
Wickner, W. *See* Mayer and Wickner.
— *See* Xu, Mayer, Muller, and Wickner.
Wiemer, E.A.C., Wenzel, T., Deerinck, T.J., Ellisman, M.H., and Subramani, S. Visualization of the peroxisomal compartment in living mammalian cells: Dynamic behavior and association with microtubules. 71.
Wier, E. *See* Amling, Neff, Tanaka, Inoue, Kuida, Wier, Philbrick, Broadus, and Baron.
Williams, M.W. *See* Zhou, Birkenmeier, Williams, Sharp, Barker, and Bloch.
Wilson, J.M., and Colton, T.L. Targeting of an intestinal apical endosomal protein to endosomes in nonpolarized cells. 319.
Winey, M. *See* Schutz, Giddings, Steiner, and Winey.
Wong, E. *See* Vleminckx, Wong, Guger, Rubinfeld, Polakis, and Gumbiner.
Wong, M.L. *See* Lingappa, Hill, Wong, and Hegde.
Wong, V., and Gumbiner, B.M. A synthetic peptide corresponding to the extracellular domain of occludin perturbs the tight junction permeability barrier. 399.
Wood, S.J. *See* Deconinck, Potter, Tinsley, Wood, Vater, Young, Metzinger, Vincent, Slater, and Davies.
Wu, M. *See* Larabell, Torres, Rowning, Yost, Miller, Wu, Kimelman, and Moon.
Wu, R.-R., and Couchman, J.R. cDNA cloning of the basement membrane chondroitin sulfate proteoglycan core protein, bamacan: A five domain structure including coiled-coil motifs. 433.

X

Xia, G.-X. *See* Carlier, Laurent, Santolini, Melki, Didry, Xia, Hong, Chua, and Pantaloni.
Xu, J., and Clark, R.A.F. A three-dimensional collagen lattice induces protein kinase C-ζ activity: Role in α_2 integrin and collagenase mRNA expression. 473.
Xu, Z., Mayer, A., Muller, E., and Wickner, W. A heterodimer of thioredoxin and I^B_2 cooperates with Sec18p (NSF) to promote yeast vacuole inheritance. 299.

Y

Yaffe, M.P. *See* Berger, Sogo, and Yaffe.
Yamagishi, T. *See* Nakajima, Miyazono, Kato, Takase, Yamagishi, and Nakamura.
Yang, S., Ayscough, K.R., and Drubin, D.G. A role for the actin cytoskeleton of *Saccharomyces cerevisiae* in bipolar bud-site selection. 111.
Yang, S.S., Yeh, E., Salmon, E.D., and Bloom, K. Identification of a mid-anaphase checkpoint in budding yeast. 345.
Yeh, E. *See* Yang, Yeh, Salmon, and Bloom.
Yost, C. *See* Larabell, Torres, Rowning, Yost, Miller, Wu, Kimelman, and Moon.
Young, C. *See* Deconinck, Potter, Tinsley, Wood, Vater, Young, Metzinger, Vincent, Slater, and Davies.
Yu, Q.-C. *See* Lo, Yu, Degenstein, Chen, and Fuchs.
Yu, W., Sharp, D.J., Kuriyama, R., Mallik, P., and Baas, P.W. Inhibition of a mitotic motor compromises the formation of dendrite-like processes from neuroblastoma cells. 659.
Yurchenco, P.D. *See* Cohen, Jacobson, Yurchenco, Morris, and Carbonetto.

Z

Zerwes, H.-G. *See* Zöllner, Lenter, Blanks, Borges, Steegmaier, Zerwes, and Vestweber.
Zheng, T. *See* Murphy, Zheng, and Nicchitta.
Zhou, D., Birkenmeier, C.S., Williams, M.W., Sharp, J.J., Barker, J.E., and Bloch, R.J. Small, membrane-bound, alternatively spliced forms of ankyrin 1 associated with the sarcoplasmic reticulum of mammalian skeletal muscle. 621.
Zhou, S. *See* Kwan, Pang, Zhou, Cowan, Kong, Pfordte, Olsen, Sillence, Tam, and Cheah.
Zhu, X.-c. *See* Kislauskis, Zhu, and Singer.
Zimmerberg, J. *See* Chernomordik, Leikina, Frolov, Bronk, and Zimmerberg.
Zöllner, O., Lenter, M.C., Blanks, J.E., Borges, E., Steegmaier, M., Zerwes, H.-G., and Vestweber, D. L-Selectin from human, but not from mouse neutrophils binds directly to E-selectin. 707.
Zorzi, N. *See* Parton, Way, Zorzi, and Stang.

SUBJECT INDEX VOLUME 136

ABP-280, MAP2c reorganizes microtubules and microfilaments into cytological structures in, 845
Abp1p/Cbp1p, shares structural and functional homologies with CENP-B, 487
Acanthamoeba, localization of the Arp2/3 complex to actin-rich structures in, 331
Acetylcholinesterase molecules, collagen-tailed, specific binding sites on the neuromuscular synapse, molecular "parking lot" for insertion and removal of, biogenesis and distribution of, amphibians vs. aves, 367
β-actin, messenger RNA localization and protein synthesis augment cell motility, 1263
Actin cytoskeleton
  LI-cadherin not firmly connected to, 1109
  role of Arp2/3 complex in the regulation of, 331
Actin depolymerizing factor
  enhances rate of actin filament turnover, uses ATP hydrolysis to enhance filament dynamics, increases rate of actin-based motility of *Listeria monocytogenes*, 1307
  responsible for turnover of actin filaments in *Listeria monocytogenes* tails, 1323
Actin depolymerizing factor/cofilin, promotes rapid actin filament turnover in dynamic cytoskeleton, 1165
Actin filaments
  actin depolymerizing factor/cofilin promotes rapid turnover of, 1165
  actin depolymerizing factor enhances the turnover rate of, 1307
  actin polymerizing factor responsible for turnover rate of, in *Listeria monocytogenes* tails, 1323
  disruption of *BEE1* causes changes in the organization of, 649
  organized by MAP2c into an isotropic array, 845
Activated aortic endothelium, monocyte adhesion to, 945
Active dicentric chromosome, kinetics of spindle elongation in cells with, 345
Adaptor protein-2, association and colocalization of Eps15 with, 811
Adenomatous polyposis coli protein, regulation of β-catenin binding to, NH_2-terminal–deleted β-catenin colocalizes prominently with, COOH-terminal–deleted β catenin colocalizes poorly with, 693
Adenomatous polyposis coli tumor suppression protein, signaling activity in *Xenopus laevis*, as part of the Wnt/β-cadherin signaling pathway, association with signaling by β-cadherin, lack of signaling activity in truncated mutants of, signaling activity regulates dorsoanterior axis from *Xenopus* embryos, influence on β-cadherin, 411
Adherens junction, role in the formation of desmosomes, plakoglobin as a structural component of, 919
Adhesion weakened by loss of, 1349
a-factor, biogenesis of, biosynthetic intermediates of, requirement for the NH_2-terminal processing of, additional unpredicted step during the NH_2-terminal processing of the precursor, 251
a-factor precursor, *STE24* required for the first NH_2-terminal proteolytic cleavage during biogenesis of, 271
Agrin, clustering of dystroglycan induced by, mobile when unclustered, 1047
Anaphase, *RAD9*-dependent delay during, progression from early to late, 345
Ankyrin 1 (small forms), as integral membrane proteins of the sarcoplasmic reticulum, link the sarcoplasmic reticulum to the contractile apparatus, 621
Ankyrin-3, isoforms lacking the NH_2-terminal repeat associate with lysosomes, 1059
Ankyrin-3 positive vesicles, contain lysosomal-associated glycoprotein 1, 1059
Antioxidant pathways, induced by neuroprotective action of cycloheximide, 1137
Anti-xNup98, effect on the export of multiple classes of RNA, does not inhibit import of karyophilic proteins or small nuclear ribonucleoproteins, 241
Apoptosis, induced by disparate mechanisms, role of interleukin-1β–converting enzyme–related proteases in, partial blocking by inhibition of interleukin-1β–converting enzyme–related proteases, 215
Arp2/3 complex, structural and topological models of, actin-binding activity of, localization to actin-rich structures in *Acanthamoeba*, role in cytoskeletal function, 331
ATP hydrolysis, used by actin depolymerizing factor to enhance actin filament dyamics, 1307
Autophagic pathways, convergence with endocytic pathways, 61
Autophagic vacuoles, initial, convergence of autophagic and endocytic pathways upon the formation of, 61
Axial bud site selection, microtubules not involved in, 111
Axial core, assembly of, assembly independent of DNA decatenation, assembly required in final steps of chromosome condensation, 29
Basement membrane, role of basement membrane chondroitin sulfate proteoglycan core protein (banacam) in the physiology of, 433
Basement membrane chondroitin sulfate proteoglycan core protein (banacam), cDNA cloning of, structure of, structure indicative of role in basement membrane physiology, structural similarities to proteins in other phyla, distinctive structural features of, localization and glycosaminoglycan modification of, 433
Bcl-2, and regulation of chondrocyte maturation during skeletal development, location in signaling pathway that regulates skeletal development, 205
bcl-2 gene, induced by neuroprotective action of cycloheximide, 1137
BEE1, defects in budding and cytokinesis caused by disruption of, 649
Bee1 protein, role in the assembly of actin filaments at the cell cortex, 649
Bipolar bud site selection, role for the actin cytoskeleton of *Saccharomyces cerevisiae* in, microtubules not involved in, 111
Blown fuse, cloning and expression pattern of, required for myoblast fusion, encodes novel cytoplasmic protein in unfused myoblasts, 1249
Brefeldin A, effects on transferrin- and endotubin-containing endosomes, effect on the transcytotic pathway in epithelial cells, redistribution of endotubin staining after treatment with, 319
Budding, disruption of *BEE1* causes defects in, 649
Bullous pemphigoid antigen 180, localization in hemidesmosomes, 1333
Ca^{2+}
  accumulation in an inositol 1,4,5-triphosphate– and thapsigargin-insensitive Ca^{2+} pool, 355
  activation during exocytosis, subplasmalemmal signals in exocytosis, 597
Ca^{2+} network, mitochondrial participation in, 833
Ca^{2+} signaling, *Trypanosoma cruzi* oligopeptidase B required for, 609
Ca^{2+} storage compartment, insensitivity to mitochondrial couplers, distribution in the cell cytosol, 355
β-cadherin, influence of adenomatous polyposis coli tumor suppression protein on, 411
CALEB, properties of, role in the formation of neurites, binds to tenascin-C and -R, restricted to developing and adult nervous system, associated with glial and neuronal surfaces, 895
Calnexin, oligomeric properties of, as part of an endoplasmic reticulum protein network, interaction with other endoplasmic reticulum chaperones, 555
cAMP, decreased levels of CHO/MKLP1 in the presence of, 659
CAP-23, overexpression in transgenic mice, induces nerve sprouting and growth of synaptic structures, complementary and synergistic activity with GAP-23, 679
Carboxy-terminal domain–derived proteins, overexpression of, in vivo phosphorylation and accumulation of, 5
Cartilage, role of transferrin in the neurovascularization of, 1375
Cartilage matrix components, abnormal compartmentalization of, 459
Caseinolytic protease C, role in transporting precursor protein into chloroplasts, 983
Catalytic enzyme, cellcycled modulation of activity of, 775
β-catenin
  enriched in dorsal regions of early *Xenopus* embryo, as an asymmetrically localized dorsal-determining factor in *Xenopus laevis*, endogenous form regulated in a Wnt-independent manner, *Xenopus* glycogen synthase kinase-3 signaling pathway triggers dorso-ventral differences in, 1123
  NH_2-terminal deletion of, NH_2 terminus regulates binding to adenomatous polyposis coli protein and E-cadherin, subcellular distribution unaffected by deletion of its COOH terminus, 693
Catenins, LI-cadherin not associated with, 1109
Caveolin-3, role in the formation of T tubules during muscle differentiation, 137
CD73, functional and structural properties of, ligand-induced shedding of, and control of lymphocyte–endothelial cell interaction, cosignaling role in T cell activation and proliferation, role in mediating adhesion of different cell types, different functions of structurally identical molecules expressed on different cells and tissues, 421

CDC37, interaction with *MPS1* required for spindle pole body duplication, role in G1 phase control, as multicopy suppressor of the *mps1-1* temperature-sensitive phenotype, 969
Cell cycle progression, anchorage-dependent, 3
Cell migration, impaired by overexpression of myosin I, 633
Cell motility
augmented by β-actin messenger RNA localization and protein synthesis, 1263
regulated by *DdPIK1* and *DdPIK2* genes in *Dictyostelium*, 1271
Cell shape, regulated by *DdPIK1* and *DdPIK2* genes in *Dictyostelium*, 1271
Cell–cell adhesion, LI-cadherin–mediated does not require cytoplasmic interactions or intact actin cytoskeleton, 1109
Cell–cell fusion, early lipid-dependent stage mediated by influenza hemagglutinin, 81
Cellular integrity, role of utrophin in the maintenance of, 871
CENP-A, assembly into centromeric chromatin, molecular requirements for localization to centromeres, histone fold domain structure of, expression uncoupled from that of histone H3, 501
CENP-B, shares structural and functional homologies with Abp1p/Cbp1p, 487
Centriols, possible role of topoisomerase IIα in the replicational cycle of, 775
Centromere function, *Schizosaccharomyces pombe* proteins with roles in, 487
Centromeric DNA, mechanism for the molecular recognition of, 501
CF1K (chromosome fragments with one kinetochore), congress to the spindle equator, 229
Chick, developing, novel protein in the nervous system of, 895
Chitin synthase 3, polarization to cortical sites in yeast, polarization to bud formation and cytokinesis sites in yeast, 95
Chlamydomonas reinhardtii, phosphoregulation of an inner dynein arm complex in, 177
Chloroplastic envelope membranes, protein transport complexes in, interact to form contact sites, 983
CHO/MKLP1, concentrated within the midzone region of the mitotic spindle during mitosis, redistributes specifically to the dendrite-like processes, inhibition of expression, increased levels in the presence of retinoic acid, decreased levels in the presence of cAMP, 659
Chondrocytes
hypertrophic, release transferrin as angiogenic molecule, 1375
regulation of maturation during skeletal development, Bcl-2 and the maturation of, 205
Chondrogenesis, function of retinoic acid receptor-α in, 445
Ch5p, requirement for chitin synthase 3 polarization to cortical sites in yeast, 95
Chromosome condensation, assembly of axial core required in final steps of, 29
Chromosome congression, single kinetochore simultaneously supports the function of two sister kinetochores during, 229
Chromosome segregation, affected by a centromere DNA-binding protein from fission yeast, 487
cis-Golgi, role of COPI in the maintenance/function of, 789
Clathrin, association and colocalization of Eps15 with, 811
Cleavage furrow, inner centromere protein as early component of, 1169
Clostridium perfringens enterotoxin receptor, molecular cloning and functional characterization of, required for target cell recognition and pore formation in cell membrane, 1239
Collagen fibers, decorin regulates the formation of, abnormal in decorin-deficient mice, 729
Collagen X, role in distribution of matrix vesicles and proteoglycans, phenotypic consequences of deficiency in, 459
Collagenase type I metalloproteinase, role of protein kinase C-ζ in the expression of collagen gel, as activator of protein kinase C-ζ, 473
Collagenase type IV, production in embryonic kidney, 1363
Contactin/Nr-CAM complex, receptor tyrosine phosphatase β binds to, 907
Contractile apparatus, linked to the sarcoplasmic reticulum by small forms of ankyrin 1, 621
COPI, direct role in Golgiendoplasmic reticulum retrieval and maintenance/function of *cis*-Golgi, not required for anterograde transport through the secretory pathway, 789
COPII-coated vesicles in the endoplasmic reticulum, packaging of cargo proteins into, 789
Cortical actin cytoskeleton, function in budding yeast, role of Bee1 protein in the assembly of, 649
Cortical cytoskeleton–associated protein 23 (CAP-23), overexpression in transgenic mice, induces nerve sprouting and growth of synaptic structures, complementary and synergistic activity with growth-associated protein 43 (GAP-23), 679
Cyclin-dependent kinases, role in cell cycle regulation of the replication licensing system, 125
Cycloheximide, neuroprotective action of, 1137
Cytokinesis
disruption of *BEE1* causes defects in, 649
functional role of inner centromere protein in, 1169
Cytoskeleton, actin depolymerizing factor/cofilin promotes rapid actin filament turnover in, 1165
Cytosol
distribution of an inositol 1,4,5-triphosphate– and thapsigargin-insensitive Ca^{2+} pool in, 355
transfer of free oligosaccharides from, 45
Cytosol–vacuole protein degradation pathway, novel vesicles in, 803
DdPIK1 and *DdPIK2* genes, protein products encoded by, regulate endocytosis, cell shape, and cell motility in *Dictyostelium*, 1271
Decorin, role in regulating collagen fibrillogenesis, deficiency in, 729
Degradation of interleukin 2 receptor β chain, sorting signal for, 583
Delta pH protein transport system, targeting determinants for, proposed evolutionary basis for, 823
Desmosomes, role of adherens junction in the formation of, signaling role of plakoglobin in the organization of, plakoglobin as a structural component of, 919
Dictyostelium, endocytosis, cell shape, and cell motility regulated by *DdPIK1* and *DdPIK2* genes, 1271
Dipeptidyl aminopeptidase A, requirements for localization to yeast *trans*-Golgi network, slow exit from the *trans*-Golgi network, 287
DNA decatenation, not required to restructure chromatin for chromosome formation, 29
DNA replication factors, altered by disrupted organization of nuclear lamins, 1201
Drosophila, studies on kinesin-like protein 67A in, 1081
Dynein, propels herpes simplex virus I caspids from the cell periphery to the nucleus, 1007
Dystroglycan, clustering induced by laminin vs. agrin, 1047
E-cadherin, regulation of β-catenin binding to, 693
Egg vitelline envelope, sperm-binding proteins in, 1099
Elongation phase of DNA replication, altered by disorganized nuclear lamin organization, 1201
Endocardial cushion tissue, storage of latent transforming growth factor-β protein-1 during the formation of, 193
Endocytic pathways, convergence with autophagic pathways, 61
Endocytosis
of interleukin 2 receptor β chain, sorting signal for, 583
role of GTPases in, regulated by sequential actions of Rab5 and Rab7 in *Xenopus* oocyte, 1227
Endoplasmic reticulum
interaction of resident chaperones with calnexin, 555
intranuclear membrane channels derived from, 531
subcompartment expressing a thapsigargin-insensitive Ca^{2+}-ATPase, 355
Endoplasmic reticulum membrane, novel stage of ribosome/nascent chain association with, 1213
Endoplasmic reticulum–Golgi trafficking, possible role of COPI in, 789
Endosomal pathway, multiple steps regulated by *Dictyostelium DdPIK1* and *DdPIK2*, 1271
Endothelial cells
interaction with lymphocytes controlled by CD73, 421
transferrin promotes chemotaxis and chemoinvasion of, 1375
Endotubin, targets endosomes in nonpolarized cells, redistribution of staining after treatment with brefeldin A, 319
Epidermal growth factor receptors, role of Eps15 in the internalization of, Eps15 binding site of, 811
Epithelial cells, effect of brefeldin A on the transcytotic pathway in, 319
Eps15, association and colocalization with adaptor protein-2 and clathrin, role in the internalization of epidermal growth factor receptors via the coated vesicle pathway, function in coated pits and vesicles, 811
E-selectin, human L-selectin binds directly to, mouse L-selectin does not bind to, rolling of transfectants supported by human L-selectin, 707
Eukaryotes, use different mitochondrial motors adapted for different microtubule functions, 1081

Exocytosis, microdomain Ca^{2+} activation during, subplasmalemmal Ca^{2+} signals in, 597
Exoribonuclease mXRN1p, mammalian, active in RNA turnover, preference for G4 RNA tetraplex substrates, 761
Extracellular matrix, and anchorage-dependent cell cycle progression, 3
f dynein complex, phosphoregulation of, 177
f dynein inner arm, as target for regulation during phototaxis, 177
F-actin, rearrangement induced by propeptides derived from the nerve growth factor precursor, 389
Fibroblast locomotion, heart, role of graded polarity actin filaments in the generation of motile force during, 1287
Fibroblasts, dual integrin signaling pathways in, 1385
Flagellar dynein, regulated by phosphorylation of the 138-kD intermediate chain of inner arm dynein I1, 167
Fluid shear, threshold levels promote leukocyte adhesion through selectins, minimum rate required for P- and L-selectin–dependent leukocyte rolling, 717
Focal adhesion, weakened by loss of tensin, 1349
Focal adhesion kinase, integrin-mediated activation of mitogen-activated protein kinase is independent of, 1385
Free polymannose oligosaccharides, in HepG2 cells, novel trafficking pathway for, transfer into lysosomes, final degradation in the lysosome, 45
Fructose-1,6-biphosphatase, association with intracellular structures in wild-type cells, imported into associated vesicles before entering the vacuole, 803
Fusion pore formation, role of membrane-permeable cationic amphipaths in, promoted by positive spontaneous curvatures of inner membrane leaflets, 995
FXFXD motif of the dipeptidyl aminopeptidase A tail, confers Golgi localization, directs retrieval of dipeptidyl aminopeptidase A from a post-Golgi compartment, 287
Fyn, synthesis and myristoylation on soluble ribosomes, palmitoylation and plasma membrane anchoring, partitioning into detergent-insoluble membrane subdomains, 1023
G1 phase, role of *CDC37* in the control of, 969
Gametes, interactions in *Xenopus laevis*, 1099
GAP-23, overexpression in transgenic mice, induces ultraterminal sprouting and growth of synaptic structures, complementary and synergistic activity with CAP-23, 679
GK domain, guanylate kinase–associated protein binds to, as site for protein–protein interaction, 669
GKAP, primary structure of, binds to the GK domain of PSD-95, major constituent of postsynaptic density, 669
Golgi–endoplasmic reticulum retrieval, role of COPI in, 789
gp69/64 glycoproteins, mediate sperm–egg binding in *Xenopus* fertilization, 1099
Graded polarity actin filament bundles, structure and dynamics in locomoting heart fibroblasts, role in generation of motile force during heart fibroblast locomotion, 1287
Green fluorescent protein–peroxisomal targeting signal 1 fusion protein, in the visualization of peroxisomes, 71
Growth factors, role in stimulating cyclin D– and E–dependent kinase activities, 3
Growth-associated protein 43 (GAP-23), overexpression in transgenic mice, induces ultraterminal sprouting and growth of synaptic structures, complementary and synergistic activity with cortical cytoskeleton–associated protein 23 (CAP-23), 679
Guanylate kinase–associated protein (GKAP), primary structure of, binds to the GK domain of PSD-95, major constituent of postsynaptic density, 669
Heart fibroblast locomotion, role of graded polarity actin filaments in the generation of motile force during, 1287
Hemidesmosomes, localization of bullous pemphigoid antigen 180 in, 1333
Heparan sulfate proteoglycans, as arterial ligands for monocyte L-selectin, 945
HepG2 cells, transfer of free polymannose oligosaccharides from cytosol to lysosomes in, 45
Herpes simplex virus I, incoming caspids bind to microtubules, dynein propels caspids from cell periphery to the nucleus, 1007
Histone H3, unique aspects within the nucleosome, 501
HIV capsids, formation involves *trans*-acting host factors, multi-step pathway for the biogenesis of, formation involves *trans*-acting host factors, disruption of assembly process at different points, 567
Hop1, colocalization with Red1, localization depends on Red1, 957
HRAS-transformed cells, growth-inhibitory effects of *H-rev107* overexpression on, 935
H-rev107 gene, growth inhibitory activity and downregulation of, expression in normal tissues, 935
Influenza hemagglutinin, as mediator of lipid-dependent stage of cell–cell fusion, 81
Inner arm dynein I1, 138-kD intermediate chain of, required for regulation of motility, flagellar dynein regulated by the phosphorylation of, phosphorylation changes and regulation of dynein-driven microtubule sliding, regulation modulates flagellar waveform, regulation of the phosphorylation of, 167
Inner centromere protein, early component of cleavage furrow in vertebrate somatic cells, distribution in mitotic heterokaryons, functional role in cytokinesis, 1169
Inner membrane leaflets, positive spontaneous curvatures promote pore formation, 995
Integrin α_2, role of protein kinase C-ζ in the expression of, 473
Integrin $\alpha 6\beta 4$, effect on subcellular distribution of bullous pemphigoid antigen 180, 1333
Integrin $\beta 4$ subunit, regulates localization of bullous pemphigoid antigen 180 in hemidesmosomes, 1333
Interleukin 2 receptor β chain, sorting signal for the endocytosis and degradation of, 583
Interleukin-1β–converting enzyme–related proteases, role in apoptosis induced by disparate mechanisms, inhibition of, 215
Karyophilic proteins, anti-xNup98 does not inhibit nuclear import of, 241
Kidney
  matrix metalloproteinases 2 and 9 produced in early stages of morphogenesis, production of type IV collagenases in embryonic stage, 1363
  tensin required for proper functioning of, progressive degeneration in tensin-null mice, 1349
Kinesin-like protein 67A, characterization of, as a plus end–directed mitochondrial motor in *Drosophila*, 1081
Kinetochores, in chromosome congression, consist of multiple independently regulated domains, behavior of, 229
Laminin, clustering of dystroglycan induced by, 1047
Latent transforming growth factor-β protein-1
  domains involved in cross-linking and formation of transforming growth factor-β by transglutaminase, as substrate for transglutaminase, 1151
  extracellular fibrillar structure of, role in storage of transforming growth factor-β, storage during the formation of endocardial cushion tissue, 193
Leukocyte adhesion, mediated by P-, E-, and L-selectin, enhanced by a threshold level of fluid shear stress, 717
LI-cadherin, not associated with catenins, not firmly connected to actin cytoskeleton, adhesive function does not require cytoplasmic interactions, adhesive function complementary to that of coexpressed classical cadherins, 1109
Limb development, function of retinoic acid receptor-α in, 445
LIP1 and LIP2 ProNGF peptides, induce F-actin rearrangement and Trk phosphorylation, 389
Listeria monocytogenes, actin depolymerizing factor increases rate of actin-based motility in, 1307
Listeria monocytogenes tails, turnover of actin filaments in, caused by *Xenopus* actin depolymerizing factor/cofilin, 1323
LMA1, as a factor in the trafficking of yeast vacuoles, second subunit of, works with Sec18p to promote yeast vacuole fusion, 299
Locomoting fibroblasts, identification of graded polarity actin filament bundles in, 1287
L-selectin
  in human vs. mouse neutrophils, isolated by an E-selectin–immunoglobulin affinity probe, supports rolling of E-selectin transfectants, as a preferred E-selectin ligand, 707
  mediates monocyte attachment to activated aortic endothelium, heparan sulfate proteoglycans serve as arterial ligands for, 945
Lumen-targeting domains, elements that determine pathway-specific transport, 823
Lymphocytes, interaction with endothelial cells controlled by CD73, 421
Lysosomal-associated glycoprotein 1, in ankyrin-3positive vesicles, 1059
Lysosomes
  association with isoforms of ankyrin-3 lacking the NH_2-terminal repeat, 1059
  as site for the final degradation of free oligosaccharides, 45
M phase, mitogen-activated protein kinase is dispensable for the entry and exit of, 1091
MAP2c, as actin gelation protein, role in early process formation at the interface between microtubules and microfilaments, 845

Matrix metalloproteinase 2, produced in early stages of kidney morphogenesis, 1363
Matrix metalloproteinase 9, required for renal organogenesis, produced in early stages of kidney morphogenesis, 1363
Matrix vesicles, role of collagen X in the distribution of, 459
Meiotic chromosomes, Red1 protein associated with axial cores of, 957
Membrane-permeable cationic amphipaths, promote fusion pore formation, 995
Mem12p, role in mitochondrial morphology and inheritance, conserved homolog in *Schizosaccharomyces pombe*, 545
Mice
  postsynaptic abnormalities resulting from utrophin deficiency in, 883
  renal consequences of tensin loss in, 1349
  subtle neuromuscular defects resulting from utrophin deficiency in, 871
Microfilaments, interaction with MAP2c, 845
Microtubules
  association of peroxisomal compartment with, 71
  incoming hepes simplex virus I bind to, 1007
  interaction with MAP2c, 845
  not involved in axial or bipolar bud site selection, 111
Mitochondria
  participation in the intercellular Ca^{2+} network, 833
  role of kinesin-like protein 67A in the localization of, 1081
  third protein of the outer membrane, role of Mem12p in the morphology and inheritance of, 545
Mitogen-activated protein kinase
  activation alone induces mitotic arrest, required for spindle assembly checkpoint, dispensable for M phase entry and exit, 1091
  integrin-mediated activation independent of focal adhesion kinase, 1385
Mitosis
  activation of mitogen-activated protein kinase alone induces arrest of, 1091
  mitochondrial association of a plus end–directed microtubule motor expressed during, 1081
  regulated progression from early to late anaphase during, 345
Mitotic heterokaryons, distribution of inner centromere protein in, 1169
Mitotic spindles, role of XCTK2 in the establishment and structural integrity of, 859
Monocytes, adhesion to activated aortic endothelium, 945
Mouse embryonic heart, storage of latent transforming growth factor-β protein-1 during formation of the endocardial cushion tissue of, 193
MPS1, interaction with *CDC37*, 969
mps1-1 temperature-sensitive phenotype, *CDC37* as a multicopy suppressor of, 969
Muscle cells, embryonic, laminin-induced dystroglycan clustering in, argin-induced dystroglycan clustering in, unclustered dystroglycan mobile on the surface of, 1047
Muscle differentiation, association of caveolin-3 with developing T tubules during, 137
myoB, activity controlled by SH3 domain and phosphorylation site, 633
Myoblast fusion, genetic analysis of, new intermediate steps in the process of, 1249
Myo2p, requirement for chitin synthase 3 polarization to cortical sites in yeast, 95
Myosin I, overexpression impairs cell migration, role in controlling cellular cortical activity, as cytoskeletal effector linked to signalling molecules, 633
Nerve growth factor, activates TrkA on sympathetic neurons, mediates neuronal survival and neuritogenesis, 375
Nerve growth factor precursor, biologically active peptides LIP1 and LIP2 derived from, 389
Neurites
  growth induced by binding of receptor tyrosine phosphatase β to the contactin/Nr-CAM complex, 907
  role of CALEB in the formation of, 895
Neuroblastoma cells, formation of dendrite-like processes from, 659
Neuromuscular junction
  postsynaptic abormalities resulting from utrophin deficiency, 883
  site of induced synaptic and extrasynaptic growth, 679
  specific binding sites for acetylcholin-esterase molecules on the synaptic basal lamina of, 367
Neurons, low concentrations of cyclo-heximide promote survival of, 1137
Neurotrophin-3, activates TrkA on sympathetic neurons, mediates neuronal survival and neuritogenesis, 375
Neutrophils, L-selectin in human vs. mouse, binding of L- to E-selectin in, 707
Newt myotubes, reentry into the cell cycle by phosphorylation of retinoblastoma protein, 155
Nonpolarized cells, targeting of endotubin to endosomes in, specialized early endosomal compartment in, 319
Nuclear channels, cell-type specific morphologies of, presence of cytoplasmic core, nuclear pore complexes in wall of, role in nucleocytoplasmic transport, dynamic nature of, derived from the endoplasmic reticulum as invagination of the nuclear envelope, 531
Nuclear envelope, membrane-bound invaginations of, 531
Nuclear lamins, disrupted organization alters the elongation phase of DNA replication, 1201
Nuclear pore complex
  dynamics of the distribution of, redistribution induced by Nup133p, 747
  in vivo dynamics in yeast, 1185
Nuclear pore complex–attached filaments, composition and assembly of, p270/Tpr as component of, 515
Nucleosome, unique aspects of histone H3 within, 501
Nucleus, functional significance of membrane-bound structures in, 531
Nup133p, targeted to clustered nuclear pores, induces redistribution of clustered nuclear pore complexes, 747
Occludin, role in formation of the tight junction seal, synthetic peptide corresponding to the extracellular domain of, 399
Paramecium cells, microdomain Ca^{2+} activation in, 597
Parathyroid hormone–related peptide, location of Bcl-2 in relation to, 205
Peroxisomal compartment, a vital stain for, association with microtubules, 71
Peroxisomes, movement, organization, and segregation in living cells, visualization through green fluorescent protein–peroxisomal targeting signal 1 fusion protein, 71
Phototaxis, regulation during, 177
Plakoglobin, as structural component of adherens junction and desmosome, signaling role in desmosome organization, 919
Plasma membrane, targeting of pleckstrin to areas of, structure affected by pleckstrin, 1071
Pleckstrin, regulation of activity NH_2-terminal pleckstrin homolgy domain, interacts with plasma membranes, associates with peripheral membrane ruffles and membrane projections, affects cell membrane structure, 1071
Pore, formation in cell membrane requires *Clostridium perfringens* receptor, 1239
Postsynaptic membrane, utrophin necessary for complete differentiation of, 871
Precursor proteins, chloroplastic envelope membranes interact to form contact sites in the absence of, transport into chloroplasts, 983
Pre-mRNA splicing, interaction with carboxy-terminal domain of RNA polymerase II, 5
ProNGF peptides LIP1 and LIP2, induce F-actin rearrangement and Trk phosphorylation, 389
Protein kinase C-ζ, activation by a three-dimensional collagen lattice, integrin α_2 and collagen type I metalloproteinase expression through the collagen matrix stimulatory pathway, 473
PSD-95, guanylate kinase–associated protein binds to the GK domain of, 669
p270/Tpr, as a constitutive component of nuclear pore complex–attached filaments, 515
Rab5, presence of Rab7-negative mutant does not affect uptake mediated by, 1227
Rab5-negative mutant, Rab7-mediated uptake blocked by, 1227
Rab7, mediates endocytosis through the early endosome, influences function of Rab5 downstream, Rab5-negative mutant blocks uptake mediated by, 1227
Rab7-negative mutant, Rab5-mediated uptake remains unaffected in the presence of, 1227
RAD9 checkpoint gene, mid-anaphase delay dependent upon, 345
Rat hepatocytes, convergence of autophagic and endocytic pathways in, 61
Receptor tyrosine phosphatase β, binding to the contactin/Nr-CAM complex induces neurite outgrowth, mediates neuron–glia interactions, two distinct domains of, 907
Red blood cells, hemifusion with wild-type hemagglutininexpressing cells vs. hemifusion with glycosylphos-phatidylinositol cells, 995
Red1 protein, associated with axial cores of meiotic chromosomes, role in establishing meiotic sister chromatid cohesion, colocalization with Hop1, Hop1 localization depends on, 957
Replication licensing system, cell cycle regulation of, role of cyclin-dependent kinases in the cell cycle regulation of, regulation in the *Xenopus* system vs. other cell types, 125
Retinoblastoma protein, phosphorylation required for cell cycle reentry of newt myotubes, regulation of phosphorylation, 155
Retinoic acid, increased levels of CHO/MKLP1 in the presence of, 659

Retinoic acid receptor-α, function in limb development, function in the regulation of chondrogenesis, 445
Ribosome/nascent chain complex, novel stage of association with endoplasmic reticulum membrane, binding to endoplasmic reticulum membrane, 1213
Ribosomes, Fyn synthesis and myristoylation on, 1023
RNA
  mammalian exoribonuclease active in the turnover of, 761
  role of Nup98 in export from the nucleus, anti-xNup98 inhibits export of multiple classes of, 241
RNA G4 tetraplex structures, occurance in vivo, role in RNA turnover, 761
RNA polymerase II
  carboxy-terminal domain of, interaction between its carboxy-terminal domain and pre-mRNA splicing, 5
  coimmunoprecipitates with two classes of splicing factors, hyperphosphorylation of its carboxy-terminal domain, association with splicing factors maintained in the absence of pre-mRNA, association with splicing factors via the phosphorylated carboxy-terminal domain, 19
Saccharomyces cerevisiae
  actin cytoskeleton of, role in bipolar bud site selection, 111
  biogenesis of its mating pheromone **a**-factor, 251
  in vivo dynamics of nucelar pore complexes in, 1185
Sarcoplasmic reticulum, small ankyrins as integral membrane proteins of, linked to the contractile apparatus by small forms of ankyrin 1, 621
Schizosaccharomyces pombe
  conserved Mem12p homolog in, 545
  proteins with roles in centromere function, 487
Schmid metaphyseal chondroplasia, similarity to consequences of collagen X deficiency, 459
Sec protein transport systen, targeting determinants for, proposed evolutionary basis for, 823
Sec16p complex, in ribosome/nascent chain association with endoplasmic reticulum membrane, 1213
Sec17p/Sec/18p reaction, as a prerequisite for docking of yeast vacuoles, 307
Sec18p, works with LMA1 to promote yeast vacuole fusion, 299
Selectins, role in leukocyte adhesion, 717
SH3 domain, role in controlling myoB activity, 633
Shaker potassium channel, transmembrane topology of, probed with hydrophilic epitope insertions, 1037
Skeletal development, Bcl-2 regulates chondrocyte maturation during, 205
Skeletogenesis, function of retinoic acid receptor-α in, 445
Small nuclear ribonucleoproteins, anti-xNup98 does not inhibit nuclear import of, 241
Smith antigen–containing small nuclear ribonucleo proteins, dispersal of, 5
SNAP receptor complex, Yptp-mediated assembly in vacuole docking, 307
SNAP receptors, activation by Sec17p/Sec18p reaction and vacuole docking, 307
Spindle assembly checkpoint, mitogen-activated protein kinase required for, 1091
Spindle elongation, in cells with an active dicentric chromosome, 345
Spindle pole body, *CDC37* required for the duplication of, 969
Splicing factors, RNA polymerase II coimmunoprecipitates with two classes of, via the phosphorylated carboxy-terminal domain, 19
Src family proteins, novel trafficking pathway regulated by dual fatty acylation, 1023
STE24, required for the first NH_2-terminal proteolytic cleavage during biogenesis of **a**-factor precursor, 271
Ste24p, metalloproteinase motif essential for the functional activity of, as mediator of the NH_2-terminal proteolytic cleavage of the **a**-factor precursor, homologues present in diverse organisms, 271
Sympathetic neuron, differentiation and survival of, expression of TrkA and TrkC receptors, 375
T cells, cosignaling role of CD73 in the activation and proliferation of, 421
T tubules, developing, association with caveolin-3 during muscle differentiation, 137
Target cells, *Clostridium perfringens* receptor required for the recognition of, 1239
Tenascin-C and -R, CALEB binds to, 895
Tensin, required for proper functioning of kidney, progressive kidney degeneration in, 1349
Thylakoid membranes, targeting determinants for the Sec and Delta pH protein transport systems in, proposed evolutionary basis for the Sec and Delta pH protein transport systems in, 823
Tight junction seal, role of occludin in the formation of, altered by synthetic peptide corresponding to the extracellular domain of occludin, 399
Topoisomerase II, association with replicated DNA and assembly of axial core, 29
Topoisomerase IIα, possible role in replicational cycle of centriols, 775
Topoisomerase IIβ, exclusively present in the extranucleolar nucleoplasm during interphase, released from the heterochromatin during mitosis, 775
Topoisomerases types I and II, cell cyclecoupled relocation of, expression increases toward mitosis, activity decreases during mitosis, 775
Transferrin, promotes endothelial cell chemotaxis and chemoinvasion, as angiogenic molecule released by hypertrophic chondrocytes, involvement in cartilage neurovascularization, 1375
Transforming growth factor-β, involvment of latent transforming growth factor-β–binding protein 1 domain in the cross-linking and formation of, 1151
Transglutaminase, matrix incorporation of latent transforming growth factor-β–binding protein 1 is dependent on, latent transforming growth factor-β–binding protein 1 as a substrate for, involvment of latent transforming growth factor-β–binding protein 1 domains in cross-linking and formation of transforming growth factor-β by, 1151
Trans-Golgi network, exit from, 287
Trk, phosphorylation induced by propeptides derived from the nerve growth factor precursor, 389
Trypanosoma cruzi oligopeptidase B, intracellular location of, as requirement for Ca^{2+} signaling, 609
Utrophin
  deficiency results in postsynaptic abnormalities at the neuromuscular junction, 883
  subtle neuromuscular defects resulting from deficiency in, role in synaptic differentiation, role in maintaining cellular integrity, 871
Vacuoles, fructose-1,6-biphosphatase imported into vesicles before entry into, 803
Vesicles, fructose-1,6-biphosphatase–associated, in the cytosol–vacuole protein degradation pathway, 803
Wild-type cells, association of fructose-1,6-biphosphatase with intracellular structures in, 803
Wnt signaling pathway, regulates steady-state β-catenin levels in early *Xenopus* embryo, 1123
XCTK2, promotes mitotic spindle assembly in *Xenopus laevis* egg extracts, 859
Xenopus
  dystroglycan clustering action of laminin in embryonic muscle cells of, 1047
  Nup98, role in RNA export from the nucleus, as essential component of multiple RNA export pathways, 241
  regulation of the replication licensing system in, vs. other cell types, 125
Xenopus actin depolymerizing/factor/cofilin, responsible for turnover of actin filaments in *Listeria monocytogenes* tails, 1323
Xenopus laevis
  gamete interactions in, sperm-binding proteins in, 1099
  role of mitogen-activated protein kinase in the cell cycle of, 1091
  signaling activity of adenomatous polyposis coli tumor suppression protein in, 411
  XCTK2 (kinesin protein) promotes mitotic spindle assembly in egg extracts, 859
Xenopus laevis embryo, β-catenin as an asymmetrically localized dorsal-determining factor in, 1123
Xenopus oocyte, sequential actions of Rab5 and Rab7 regulate endocytosis in, 1227
Yeast late Golgi membrane protein, localization by two separate signals, 287
Yeast cells, dynamics of nuclear pore distribution in, 747
Yeast vacuole
  docking of, 307
  LMA1 as a novel factor in the trafficking of, both components of LMA1 required for the inheritance of, 299
Ytp7p, direct involvement in the docking of yeast vacuoles, 307